

**TEXSTYLE**

2024 Catalog



# Collection Index

Solar Screens	3
Verosol High Performance	33
Commercial PVC Free	41
Designer Solids	54
Designer Textures	66
Designer Neutrals	86



# Kleenscreen Blackout




ROLLER




PANEL


Kleenscreen Blackout combines the functionality and durability of a typical solar screen with the privacy of a 100% blackout fabric. The unique formulation of the yarn eliminates the need for a blackout coating, thereby keeping the blackout fabric the same on both sides and making it highly suitable for open roll systems. Featuring Sanitized<sup>®</sup>, Kleenscreen Blackout inhibits the development of bacterial odors as well as the growth of mold and mildew on your fabric. Easy to weld and easy to clean, Kleenscreen Blackout provides a practical solution for any residential or commercial interior space.




Ice




Barley




Pumice




Alloy



Shale



Graphite

















Black





## Technical Information

Composition	25% Polyester, 75% PVC
Openness	Blackout
Width(s)	118" (3m)
Length	33 yd/roll (30m)
Weight	16.96oz/yd <sup>2</sup> (575 g/m <sup>2</sup> )
Thickness	0.027in (.69mm)
Fire Classification	NFPA 701
Fungal/Bacterial Resistance	ASTM E2180 and G21
Railroadable	No
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	 <b>FR</b>  <b>LEAD FREE</b>  <b>FORMALDEHYDE FREE</b>  <b>PHTHALATE FREE</b>  <b>FRAGRANCE FREE</b>  <b>ANTI-BACTERIAL</b>  <b>ENERGY SAVING</b>  <b>PRINTABLE</b>
Certifications	 <b>GREENGUARD</b>  <b>HPD</b> <b>HEALTH PRODUCT DECLARATION</b>  <b>OEKO-TEX®</b> <b>CONFIDENCE IN TEXTILES</b> <b>STANDARD 100</b> <small>Trusted for harmful substances</small> <a href="http://www.oeko-tex.com/standard100">www.oeko-tex.com/standard100</a>  <b>ISO</b> <b>14001</b>  <b>ISO</b> <b>9001</b>  <b>10</b> <b>10 YEAR WARRANTY</b>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
091003000ICE	Ice	118			
091003000BAR	Barley	118			
091003000PUM	Pumice	118			
091003000ALL	Alloy	118			
091003000SHA	Shale	118			
091003000GRA	Graphite	118			
091003000BLA	Black	118			



# Kleenscreen 1%



ROLLER




PANEL


Kleenscreen with Sanitized® Protection inhibits the growth of bacteria, mold and mildew on your fabric. This unique antimicrobial hygiene function enhances the performance of your shades for comfort and peace of mind. Kleenscreen's performance against solar heat and glare also make this an eco-friendly and cost saving solution for any space.




Pure White




Barley




Alloy



Canyon




Graphite



Ash



Raven

















Black





## Technical Information

Composition	26% Polyester, 74% PVC
Openness	1%
Width(s)	98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	14.25oz/yd <sup>2</sup> (483g/m <sup>2</sup> )
Thickness	0.024in (.60mm)
Fire Classification	NFPA 701
Fungal/Bacterial Resistance	ASTM E2180 and G21
Railroadable	No
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	 <b>FR</b>  <b>LEAD FREE</b>  <b>FORMALDEHYDE FREE</b>  <b>PHTHALATE FREE</b>  <b>FRAGRANCE FREE</b>  <b>ANTI-BACTERIAL</b>  <b>ENERGY SAVING</b>  <b>PRINTABLE</b>
Certifications	 <b>GREENGUARD</b>  <b>HPD</b>  <b>Oeko-TEX® CONFIDENCE IN TEXTILES STANDARD 100</b> <small>Regulation harmful substances www.oeko-tex.com/standard100</small>  <b>ISO 14001</b>  <b>ISO 9001</b>  <b>10 YEAR WARRANTY</b>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
091012500M16	Barley	98.4			
091012500M18	Black	98.4			
091012500M19	Graphite	98.4			
091012500M36	Pure White	98.4			
091012500M37	Alloy	98.4			
091012500M46	Canyon	98.4			
091012500M47	Raven	98.4			
091012500M49	Ash	98.4			
091013000M16	Barley	118			
091013000M18	Black	118			
091013000M19	Graphite	118			
091013000M36	Pure White	118			
091013000M37	Alloy	118			
091013000M46	Canyon	118			
091013000M47	Raven	118			
091013000M49	Ash	118			



# Kleenscreen 3%



ROLLER




PANEL


Kleenscreen with Sanitized® Protection inhibits the growth of bacteria, mold and mildew on your fabric. This unique antimicrobial hygiene function enhances the performance of your shades for comfort and peace of mind. Kleenscreen's performance against solar heat and glare also make this an eco-friendly and cost saving solution for any space.



Pure White




Barley




Alloy



Canyon




Graphite



Ash



Raven



Black





## Technical Information

Composition	26% Polyester, 74% PVC
Openness	3%
Width(s)	98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	14.01 oz/yd <sup>2</sup> (475g/m <sup>2</sup> )
Thickness	0.022in (.56mm)
Fire Classification	NFPA 701
Fungal/Bacterial Resistance	ASTM E2180 and G21
Railroadable	No

**Cleaning**  
 Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.

**Technical & Quality Data** Visit [textstyle.com](http://textstyle.com) for full details

**Features**



**Certifications**



## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
091032500M16	Barley	98.4			
091032500M18	Black	98.4			
091032500M19	Graphite	98.4			
091032500M36	Pure White	98.4			
091032500M37	Alloy	98.4			
091032500M46	Canyon	98.4			
091032500M47	Raven	98.4			
091032500M49	Ash	98.4			
091033000M16	Barley	118			
091033000M18	Black	118			
091033000M19	Graphite	118			
091033000M36	Pure White	118			
091033000M37	Alloy	118			
091033000M46	Canyon	118			
091033000M47	Raven	118			
091033000M49	Ash	118			



# Kleenscreen 5%




ROLLER




PANEL


Kleenscreen with Sanitized® Protection inhibits the growth of bacteria, mold and mildew on your fabric. This unique antimicrobial hygiene function enhances the performance of your shades for comfort and peace of mind. Kleenscreen's performance against solar heat and glare also make this an eco-friendly and cost saving solution for any space.




Pure White




Barley



Alloy



Canyon




Graphite



Ash



Raven

















Black





## Technical Information

Composition	26% Polyester, 74% PVC
Openness	5%
Width(s)	98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	13.12oz/yd <sup>2</sup> (445g/m <sup>2</sup> )
Thickness	0.022in (.56mm)
Fire Classification	NFPA 701
Fungal/Bacterial Resistance	ASTM E2180 and G21
Railroadable	No
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	       
Certifications	     

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
091052500M16	Barley	98.4			
091052500M18	Black	98.4			
091052500M19	Graphite	98.4			
091052500M36	Pure White	98.4			
091052500M37	Alloy	98.4			
091052500M46	Canyon	98.4			
091052500M47	Raven	98.4			
091052500M49	Ash	98.4			
091053000M16	Barley	118			
091053000M18	Black	118			
091053000M19	Graphite	118			
091053000M36	Pure White	118			
091053000M37	Alloy	118			
091053000M46	Canyon	118			
091053000M47	Raven	118			
091053000M49	Ash	118			

# 3000 NET Privacy




ROLLER




PANEL

3000 NET is our most popular screen style. The 2x2 lightweight basket weave is incredibly versatile and makes fabrication easy. The 3000 NET Privacy is the tightest weave in the offering.


Perfect for bedrooms, it offers maximum privacy with limited view-through.




White/White



White/Beige




White/Gray



Charcoal/Charcoal


















Charcoal/Bronze



Charcoal/Gray



## Technical Information

Composition	25% Polyester, 75% PVC
Openness	<1% Privacy
Width(s)	78.7" (2m), 98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	15.28oz/yd2 (518g/m2)
Thickness	0.026in (.68mm)
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19
Fungal/Bacterial Resistance	ASTM E2180, G21, G22
Railroadable	Yes
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	 <b>FR</b>  <b>LEAD FREE</b>  <b>FORMALDEHYDE FREE</b>  <b>PHTHALATE FREE</b>  <b>FRAGRANCE FREE</b>  <b>ANTI-BACTERIAL</b>  <b>LIMITED LIFETIME WARRANTY</b>  <b>PRINTABLE</b>
Certifications	 <b>GREENGUARD GOLD</b>  <b>LOW VOC</b>  <b>HPD HEALTH PRODUCT DECLARATION</b>  <b>OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100</b> <small>Trusted by thousands of laboratories www.oeko-tex.com/standard100</small>  <b>ISO 14001</b>  <b>ISO 9001</b>  <b>AERC ENERGY IMPROVEMENT</b>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030PR2000N001	White/White	78.7			
030PR2000N002	White/Beige	78.7			
030PR2000N003	White/Gray	78.7			
030PR2500N001	White/White	98.4			
030PR2500N002	White/Beige	98.4			
030PR2500N003	White/Gray	98.4			
030PR2500N901	Charcoal/Charcoal	98.4			
030PR2500N902*	Charcoal/Bronze	98.4			
030PR2500N903	Charcoal/Gray	98.4			
030PR3000N001	White/White	118			
030PR3000N002	White/Beige	118			
030PR3000N003	White/Gray	118			
030PR3000N901	Charcoal/Charcoal	118			
030PR3000N902	Charcoal/Bronze	118			
030PR3000N903	Charcoal/Gray	118			

\*Available while supplies last

# 3000 NET 1%




ROLLER




PANEL


3000 NET is our most popular screen style. The 2x2 lightweight basket weave is incredibly versatile and makes fabrication easy. The 3000 NET 1% is a favorite amongst those seeking privacy while still allowing some light to come into the space.




White/White




White/Beige




White/Gray




Beige/Beige



Beige/Gray




Gray/Gray



Charcoal/Charcoal



Charcoal/Bronze



Charcoal/Gray



## Technical Information

Composition	25% Polyester, 75% PVC
Openness	1%
Width(s)	78.7" (2m), 98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	15.28oz/yd <sup>2</sup> (518g/m <sup>2</sup> )
Thickness	0.026in (.68mm)
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19
Fungal/Bacterial Resistance	ASTM E2180, G21, G22
Railroadable	Yes

**Cleaning**  
Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.

**Technical & Quality Data**  
Visit [textstyle.com](http://textstyle.com) for full details

### Features



### Certifications



## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030012000N001	White/White	78.7			
030012000N002	White/Beige	78.7			
030012000N003	White/Gray	78.7			
030012000N203	Beige/Gray	78.7			
030012000N901	Charcoal/Charcoal	78.7			
030012500N001	White/White	98.4			
030012500N002	White/Beige	98.4			
030012500N003	White/Gray	98.4			
030012500N203	Beige/Gray	98.4			
030012500N301	Gray/Gray	98.4			
030012500N901	Charcoal/Charcoal	98.4			
030012500N902	Charcoal/Bronze	98.4			
030012500N903	Charcoal/Gray	98.4			
030013000N001	White/White	118			
030013000N002	White/Beige	118			
030013000N003	White/Gray	118			
030013000N201	Beige/Beige	118			
030013000N203	Beige/Gray	118			
030013000N301	Gray/Gray	118			
030013000N901	Charcoal/Charcoal	118			
030013000N902	Charcoal/Bronze	118			
030013000N903	Charcoal/Gray	118			

# 3000 NET 3%




ROLLER



PANEL


3000 NET is our most popular screen style. The 2x2 lightweight basket weave is incredibly versatile and makes fabrication easy. The 3000 NET 3% has quickly become a market leader for those seeking the perfect combination of privacy and natural light.




White/White




White/Beige




White/Gray




Beige/Beige



Beige/Gray




Gray/Gray



Charcoal/Charcoal



Charcoal/Bronze



Charcoal/Gray

## Technical Information

Composition	25% Polyester, 75% PVC
Openness	3%
Width(s)	78.7" (2m), 98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	13.12oz/yd2 (445g/m2)
Thickness	0.022in (.57mm)
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19
Fungal/Bacterial Resistance	ASTM E2180, G21, G22
Railroadable	Yes

**Cleaning**  
 Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.

**Technical & Quality Data** Visit [textstyle.com](http://textstyle.com) for full details

**Features**

  
FR

  
LEAD FREE

  
FORMALDEHYDE  
FREE

  
PHTHALATE  
FREE

  
FRAGRANCE  
FREE

  
ANTI-  
BACTERIAL

  
LIMITED  
LIFETIME  
WARRANTY

  
PRINTABLE

**Certifications**

  
GREENGUARD  
GOLD

  
LOW VOC

  
HPD  
HEALTH PRODUCT  
DECLARATION

  
OEKO-TEX®  
CONFIDENCE IN TEXTILES  
STANDARD 100  
Tested for harmful substances,  
www.oeko-tex.com/standard100

  
ISO  
14001

  
ISO  
9001

  
AERC  
ENERGY  
IMPROVEMENT

### Product codes and pricing

Product Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030032000N001	White/White	78.7			
030032000N002	White/Beige	78.7			
030032000N003	White/Gray	78.7			
030032000N203	Beige/Gray	78.7			
030032000N301	Gray/Gray	78.7			
030032000N901	Charcoal/Charcoal	78.7			
030032000N902*	Charcoal/Bronze	78.7			
030032000N903	Charcoal/Gray	78.7			
030032500N001	White/White	98.4			
030032500N002	White/Beige	98.4			
030032500N003	White/Gray	98.4			
030032500N201	Beige/Beige	98.4			
030032500N203	Beige/Gray	98.4			
030032500N301	Gray/Gray	98.4			
030032500N901	Charcoal/Charcoal	98.4			
030032500N902	Charcoal/Bronze	98.4			
030032500N903	Charcoal/Gray	98.4			
030033000N001	White/White	118			
030033000N002	White/Beige	118			
030033000N003	White/Gray	118			
030033000N201	Beige/Beige	118			
030033000N203	Beige/Gray	118			
030033000N301	Gray/Gray	118			
030033000N901	Charcoal/Charcoal	118			
030033000N902	Charcoal/Bronze	118			
030033000N903	Charcoal/Gray	118			



# 3000 NET 5%




ROLLER



PANEL


3000 NET is our most popular screen style. The 2x2 lightweight basket weave is incredibly versatile and makes fabrication easy. The 3000 NET 5% is the perfect choice for those looking to preserve the view but also offer a small amount of privacy.




White/White




White/Beige




White/Gray




Beige/Beige




Beige/Sable




Beige/Gray




Gray/Gray




Gray/Dark Gray




Gray/Blue



Charcoal/Charcoal



Charcoal/Bronze



Charcoal/Gray

## Technical Information

Composition	25% Polyester, 75% PVC
Openness	5%
Width(s)	78.7" (2m), 98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	12.39oz/yd <sup>2</sup> (420g/m <sup>2</sup> )
Thickness	0.022in (.57mm)
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19
Fungal/Bacterial Resistance	ASTM E2180, G21, G22
Railroadable	Yes

**Cleaning** Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.

**Technical & Quality Data** Visit [textstyle.com](http://textstyle.com) for full details

### Features



### Certifications



## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030052000N001	White/White	78.7			
030052000N002	White/Beige	78.7			
030052000N003	White/Gray	78.7			
030052000N201	Beige/Beige	78.7			
030052000N203	Beige/Gray	78.7			
030052000N901	Charcoal/Charcoal	78.7			
030052000N902*	Charcoal/Bronze	78.7			
030052000N903*	Charcoal/Gray	78.7			
030052500N001	White/White	94.8			
030052500N002	White/Beige	98.4			
030052500N003	White/Gray	98.4			
030052500N201	Beige/Beige	98.4			
030052500N202	Beige/Sable	98.4			
030052500N203	Beige/Gray	98.4			
030052500N301	Gray/Gray	98.4			
030052500N302	Gray/Dark Gray	98.4			
030052500N304	Gray/Blue	98.4			
030052500N901	Charcoal/Charcoal	98.4			
030052500N902	Charcoal/Bronze	98.4			
030052500N903	Charcoal/Gray	98.4			
030053000N001	White/White	118			
030053000N002	White/Beige	118			
030053000N003	White/Gray	118			
030053000N201	Beige/Beige	118			
030053000N203	Beige/Gray	118			
030053000N301	Gray/Gray	118			
030053000N901	Charcoal/Charcoal	118			
030053000N902	Charcoal/Bronze	118			
030053000N903	Charcoal/Gray	118			

\*Available while supplies last

# 3000 NET 10%




ROLLER



PANEL


3000 NET is our most popular screen style. The 2x2 lightweight basket weave is incredibly versatile and makes fabrication easy. The 3000 NET 10% is the most open in this offering and allows you to take advantage of improved view through.




White/White



White/Beige



White/Gray



Charcoal/Charcoal



## Technical Information

Composition	25% Polyester, 75% PVC
Openness	10%
Width(s)	98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	11.36oz/yd <sup>2</sup> (385g/m <sup>2</sup> )
Thickness	0.020in (.52mm)
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19
Fungal/Bacterial Resistance	ASTM E2180, G21, G22
Railroadable	Yes

**Cleaning**  
Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.

**Technical & Quality Data** Visit [textstyle.com](http://textstyle.com) for full details

### Features



### Certifications



## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030102500N001	White/White	98.4			
030102500N002	White/Beige	98.4			
030102500N003	White/Gray	98.4			
030102500N901	Charcoal/Charcoal	98.4			
030103000N001	White/White	118			
030103000N002	White/Beige	118			
030103000N003	White/Gray	118			
030103000N901	Charcoal/Charcoal	118			

# 4000 NET 3%




ROLLER




PANEL


Similar to our 3000 NET, the 4000 NET 3% fabric brings forth stylish and modern aesthetics with a heavier weight 2x2 basket weave, which is ideal for high traffic and commercial applications.




Dove/Dove




Dove/Sand




White/White




White/Beige




White/Gray




Beige/Beige



Beige/Gray


















Charcoal/Charcoal



Charcoal/Bronze

## Technical Information

Composition	27% Polyester, 73% PVC
Openness	3%
Width(s)	98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	16.07oz/yd <sup>2</sup> (545 g/m <sup>2</sup> )
Thickness	0.029in (.75mm)
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19
Fungal/Bacterial Resistance	ASTM E2180, G21, G22
Railroadable	Yes
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	 <b>FR</b>  <b>LEAD FREE</b>  <b>FORMALDEHYDE FREE</b>  <b>PHTHALATE FREE</b>  <b>FRAGRANCE FREE</b>  <b>ANTI-BACTERIAL</b>  <b>LIMITED LIFETIME WARRANTY</b>  <b>PRINTABLE</b>
Certifications	 <b>GREENGUARD</b>  <b>LOW VOC</b>  <b>HPD</b>  <b>Oeko-TEX®</b> <b>CONFIDENCE IN TEXTILES</b> <b>STANDARD 100</b> <small>Tested for harmful substances.</small> <small><a href="http://www.oeko-tex.com/eng/standard100">www.oeko-tex.com/eng/standard100</a></small>  <b>ISO</b> <b>14001</b>  <b>ISO</b> <b>9001</b>  <b>AERC</b> <b>ENERGY IMPROVEMENT</b>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
040032500N001	White/White	98.4			
040032500N002	White/Beige	98.4			
040032500N003	White/Gray	98.4			
040032500N201	Beige/Beige	98.4			
040032500N203	Beige/Gray	98.4			
040032500N901	Charcoal/Charcoal	98.4			
040032500N902	Charcoal/Bronze	98.4			
040032500NPE1*	Dove/Dove	98.4			
040032500NPE2	Dove/Sand	98.4			
040033000N001	White/White	118			
040033000N002	White/Beige	118			
040033000N003	White/Gray	118			
040033000N201	Beige/Beige	118			
040033000N203	Beige/Gray	118			
040033000N901	Charcoal/Charcoal	118			
040033000N902	Charcoal/Bronze	118			
040033000NPE1	Dove/Dove	118			
040033000NPE2	Dove/Sand	118			

\*Available while supplies last



# 4000 NET 5%




ROLLER




PANEL


Similar to our 3000 NET, the 4000 NET 5% fabric brings forth stylish and modern aesthetics with a heavier weight 2x2 basket weave, which is ideal for high traffic and commercial applications.




Dove/Sand




White/White




White/Beige




White/Gray




Beige/Beige




Beige/Sable




Beige/Gray



Charcoal/Charcoal


















Charcoal/Bronze



Charcoal/Gray

## Technical Information

Composition	27% Polyester, 73% PVC
Openness	5%
Width(s)	98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	15.34oz/yd2 (520g/m2)
Thickness	0.027in (.70mm)
Fire Classification	NFPA 701, M1, B1, B2, CA Title 19
Fungal/Bacterial Resistance	ASTM E2180, G21, G22
Railroadable	Yes
Cleaning	Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	       
Certifications	      

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
040052500N001	White/White	98.4			
040052500N002*	White/Beige	98.4			
040052500N003	White/Gray	98.4			
040052500N202*	Beige/Sable	98.4			
040052500N203*	Beige/Gray	98.4			
040052500N902*	Charcoal/Bronze	98.4			
040053000N001	White/White	118			
040053000N002	White/Beige	118			
040053000N003	White/Gray	118			
040053000N203	Beige/Gray	118			
040053000N901	Charcoal/Charcoal	118			
040053000N902*	Charcoal/Bronze	118			
040053000NPE2	Dove/Sand	118			
040053000N201	Beige/Beige	118			

\*Available while supplies last

# 3000 HT 3%, 5%



ROLLER



PANEL


The broken twill weave of the 3000 HT 3% & 5% offers customers a solution where white is always facing out, giving the fabric superior reflective properties, providing improved heat control without limiting the color of their interior fabric to white.




White/White




White/Beige




White/Light Gray



White/Dim Gray



White/Bronze



White/Charcoal

## Technical Information

Composition	25% Polyester, 75% PVC	25% Polyester, 75% PVC
Openness	3%	5%
Width(s)	98.4" (2.5m)	98.4" (2.5m)
Length	33 yd/roll (30m)	33 yd/roll (30m)
Weight	12.24oz/yd2 (415 g/m2)	11.65oz/yd2 (395 g/m2)
Thickness	0.024in (.60mm)	0.026in (.50mm)
Fire Classification	NFPA 701, M2, BS 5867 Type B, CA Title 19	
Fungal/Bacterial Resistance	ASTM E2180, G21, G22	
Railroadable	No	

**Cleaning** Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.

**Technical & Quality Data** Visit [textstyle.com](http://textstyle.com) for full details

### Features



### Certifications



## Product codes and pricing

### 3000 HT 3%

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030032500HT01	White/White	98.4			
030032500HT02	White/Beige	98.4			
030032500HT03	White/Lt Gray	98.4			
030032500HT04	White/Dim Gray	98.4			
030032500HT08	White/Bronze	98.4			
030032500HT09	White/Charcoal	98.4			

### 3000 HT 5%

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030052500HT01	White/White	98.4			
030052500HT02	White/Beige	98.4			
030052500HT03	White/Lt Gray	98.4			
030052500HT04	White/Dim Gray	98.4			
030052500HT08	White/Bronze	98.4			
030052500HT09	White/Charcoal	98.4			



# 4700 P




ROLLER



PANEL

The 4700 P series is one of our heaviest fabrics and offers an openness factor of less than 1%, making it the perfect choice when maximum privacy is desired.



White/Beige

# 4000 L




ROLLER



PANEL

A 5% openness fabric with a linen-look, 4000 L provides a natural aesthetic with all the benefits of a traditional screen.



White/Brown

## Technical Information

	4700 P	4000 L
Composition	20% Polyester, 80% PVC	27% Polyester, 73% PVC
Openness	<1%	5%
Width(s)	98.4" (2.5m)	98.4" (2.5m)
Length	33 yd/roll (30m)	33 yd/roll (30m)
Weight	18.58oz/yd2 (630g/m2)	13.12oz/yd2 (445g/m2)
Thickness	0.035in (.90mm)	0.025in (.65mm)
Fire Classification	NFPA 701, M2, BS 5867 Type B, CA Title 19	
Fungal/Bacterial Resistance	ASTM E2180, G21, G22	
Railroadable	No	

**Cleaning** Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.

**Technical & Quality Data** Visit [textstyle.com](http://textstyle.com) for full details

### Features



### Certifications



## Product codes and pricing

### 4700 P

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
047012500P012	White/Beige	98.4			

### 4000 L

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
040052500L103*	White/Brown	98.4			

\*Available while supplies last





# Specialty Fabrics

Offering 300+ specialty designed  
fabrics for residential and commercial  
applications.



# View R



ROLLER




PANEL

A 15% openness factor preserves the view while dressing windows in a modern style.



White/White



Charcoal/Charcoal

## Technical Information

Composition	27% Polyester, 73% PVC
Openness	15%
Width(s)	98.4" (2.5m)
Length	33 yd/roll (30m)
Weight	13.42oz/yd <sup>2</sup> (455g/m <sup>2</sup> )
Thickness	0.032in (.83mm)
Fire Classification	NFPA 701, M2, BS 5867 Type B, CA Title 19
Fungal/Bacterial Resistance	ASTM E2180, G21, G22
Railroadable	No

**Cleaning** Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.

**Technical & Quality Data** Visit [textstyle.com](http://textstyle.com) for full details

**Features**



FR



LEAD FREE



FORMALDEHYDE  
FREE



PHTHALATE  
FREE



FRAGRANCE  
FREE



ANTI-  
BACTERIAL



LIMITED  
LIFETIME  
WARRANTY

**Certifications**



OEKO-TEX®  
CERTIFIED BY TESTEX IN  
STANDARD 100  
Tested for harmful substances  
www.oeko-tex.com



14001

9001

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
030152500R100	White/White*	98.4			
030152500R900	Charcoal/Charcoal*	98.4			

\*Available while supplies last



# X-Weave

New  
Colors!



ROLLER




PANEL


Designed for both exterior and interior spaces, X-Weave is available in 5% and 10% openness and is a heavy duty 2x2 basket weave that makes durability and versatility its strongest characteristics. It's fire retardant finish grants usage in both commercial and residential settings. This fabric is also insect proof and pairs beautifully with our Zipscreen system. Availability in 126" roll widths combined with the ability to be railroaded makes this a preferred fabric selection for large window applications.




Sand




Stone Gray



Graphite




Slate




Mahogany




Onyx




Sunset




Obsidian



White



Sunrise



Fossil

## Technical Information

Composition	30% Polyester, 70% PVC	30% Polyester, 70% PVC
Openness	5%	10%
Width(s)	126" (3.2m)	126" (3.2m)
Length	22 yd/roll (20m)	22 yd/roll (30m)
Weight	15.63oz/yd2 (530g/m2)	13.86oz/yd2 (470g/m2)
Thickness	0.032in (.82mm)	0.027in (.68mm)
Fire Classification	NFPA 701	
Fungal/Bacterial Resistance	ASTM E2149	
Railroadable	Yes	

**Cleaning** Lightly vacuum or wipe with dry cloth to remove dust. Spot clean with clean white pencil eraser or gently wipe with warm soapy water and damp sponge. If wet, leave shade down to dry completely. Avoid solvents or test them in inconspicuous area first.

**Technical & Quality Data** Visit [textstyle.com](http://textstyle.com) for full details

### Features



### Certifications



## Product codes and pricing

### X-Weave 5%

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
066003200GRA	Graphite	126			
066003200MAH	Mahogany	126			
066003200ONY	Onyx	126			
066003200SAN	Sand	126			
066003200SLA	Slate	126			
066003200STO	Stone Gray	126			
066003200OBS	Obsidian	126			
066003200WHI	White	126			
066003200RIS	Sunrise	126			
066003200FOS	Fossil	126			
066003200SUN	Sunset	126			

### X-Weave 10%

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
066103200GRA	Graphite	126			
066103200MAH	Mahogany	126			
066103200ONY	Onyx	126			
066103200SAN	Sand	126			
066103200SLA	Slate	126			
066103200STO	Stone Gray	126			
066103200OBS	Obsidian	126			
066103200WHI	White	126			
066103200RIS	Sunrise	126			
066103200FOS	Fossil	126			
066103200SUN	Sunset	126			

# SilverScreen 2%




ROLLER




PANEL


SilverScreen is a metalized interior solar shade fabric that is available in 2% and 4% openness factors. The secret of its superior and outstanding performance lies in its construction. Backed with an ultra-fine layer of aluminum, SilverScreen is the highest performing screen in the market, dramatically improving solar energy control, while demonstrating an excellent view through with glare control.




White




Beige



Light Gray




Steel Gray



Dark Gray













Bronze



Black

## Technical Information

Composition	36% Fiberglass, 64% PVC with Aluminum back
Openness	2%
Width(s)	110" (2.8m)
Length	36 yd/roll (33m)
Weight	11.8 oz/yd <sup>2</sup> (400g/m <sup>2</sup> )
Thickness	0.020 in (.50mm)
Fire Classification	NFPA 701, NFP 92503 specification M1, BS 5867 Part 2 Type B, CA Title 19
Railroadable	No
Cleaning	Lightly vacuum to remove surface dust.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	 <b>FR</b>  <b>LEAD FREE</b>  <b>FORMALDEHYDE FREE</b>  <b>FRAGRANCE FREE</b>  <b>10 YEAR WARRANTY</b>
Certifications	 <b>GREENGUARD GOLD</b>  <b>HPD HEALTH PRODUCT DECLARATION</b>  <b>OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100</b> <small>Tested for harmful substances. www.oeko-tex.com/standard100</small>  <b>ISO 14001</b>  <b>ISO 9001</b>

## Product codes and pricing

Code	Color	Width (in)	Price per lin. yd	Price per sq. yd.	Price per av. roll
010022400EB02*	Dark Gray	94			
010022400EC02*	Steel Gray	94			
010022800ED01	White	110			
010022800ED02	Beige	110			
010022800ED03	Lt Gray	110			
010022800EC02	Steel Gray	110			
010022800EB03	Bronze	110			
010022800EB02	Dark Gray	110			
010022800EB01	Black	110			

\* Available while supplies last



# SilverScreen 4%




ROLLER




PANEL


SilverScreen is a metalized interior solar shade fabric that is available in 2% and 4% openness factors. The secret of its superior and outstanding performance lies in its construction. Backed with an ultra-fine layer of aluminum, SilverScreen is the highest performing screen in the market, dramatically improving solar energy control, while demonstrating an excellent view through with glare control.




White




Beige




Light Gray



Dark Beige




Misty Gray




Steel Gray




Bronze



Chocolate Brown













Dark Gray



Black

## Technical Information

Composition	36% Fiberglass, 64% PVC with Aluminum back
Openness	4%
Width(s)	94.5" (2.4m)
Length	36 yd/roll (33m)
Weight	11.8 oz/yd2 (400g/m2)
Thickness	0.020 in (.50mm)
Fire Classification	NFPA 701, NFP 92503 specification M1, BS 5867 Part 2 Type B, CA Title 19
Railroadable	No
Cleaning	Lightly vacuum to remove surface dust.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	 <b>FR</b>  <b>LEAD FREE</b>  <b>FORMALDEHYDE FREE</b>  <b>FRAGRANCE FREE</b>  <b>10 YEAR WARRANTY</b>
Certifications	 <b>GREENGUARD GOLD</b>  <b>HPD HEALTH PRODUCT DECLARATION</b>  <b>OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100</b> <small>Tested for harmful substances. www.oeko-tex.com/standard100</small>  <b>ISO 14001</b>  <b>ISO 9001</b>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
010042400ED01	White	94.5			
010042400ED02	Beige	94.5			
010042400ED04	Dark Beige	94.5			
010042400ED03	Light Gray	94.5			
010042400EC01	Misty Gray	94.5			
010042400EC02	Steel Gray	94.5			
010042400EB01	Black	94.5			
010042400EB02	Dark Gray	94.5			
010042400EB03	Bronze	94.5			
010042400EB04	Chocolate Brown	94.5			

# OmniaScreen




ROLLER




PANEL


Placed at an attractive price point, the aluminum backed 2x2 basket weave solar screen has a 3% openness, perfect for enhancing any living and working atmosphere.




White/White




White/Beige



White/Gray



Charcoal/Charcoal














Charcoal/Bronze



Charcoal/Dark Gray

## Technical Information

Composition	25% Polyester, 75% PVC with Aluminum back
Openness	3%
Width(s)	110" (2.8m)
Length	36 yd/roll (33m)
Weight	12.98 oz/yd2 (440 g/m2)
Thickness	0.022 in (.55mm)
Fire Classification	NFPA 701, CA Title 19, UK BS 5867 Part 2, French M1
Railroadable	Yes
Cleaning	Lightly vacuum to remove surface dust.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	 <b>FR</b>  <b>LEAD FREE</b>  <b>FORMALDEHYDE FREE</b>  <b>PHTHALATE FREE</b>  <b>FRAGRANCE FREE</b>  <b>10 YEAR WARRANTY</b>
Certifications	 <b>GREENGUARD GOLD</b>  <b>HPD HEALTH PRODUCT DECLARATION</b>  <b>OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100</b> <small>Tested for harmful substances. www.oeko-tex.com/standard100</small>  <b>ISO 14001</b>  <b>ISO 9001</b>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
010032400N902*	Charcoal/Bronze	94			
010032800N001	White/White	110			
010032800N002	White/Beige	110			
010032800N003	White/Gray	110			
010032800N901	Charcoal/Charcoal	110			
010032800N902	Charcoal/Bronze	110			
010032800N904	Charcoal/Dark Gray	110			

\* Available while supplies last



# EnviroScreen




ROLLER




PANEL

EnviroScreen is a metalized PVC free fabric used in roller and panel track applications for both commercial and residential environmentally focused projects. Its highly reflective aluminum backing provides superior thermal and visual comfort in any space, yielding substantial energy savings, and creating a uniform exterior appearance. This desirable specialty weave is available in an appealing neutral color palette with a 2% openness factor.


For projects looking to maximize on green requirements, EnviroScreen is Cradle to Cradle certified, LBC Red List Compliant, and carries additional certifications necessary to claim points in green building rating tools such as LEED, Green Star, BREEAM, and more.




Light Gray




Beige




Tan



Steel Gray















Dark Gray



Black

## Technical Information

Composition	100% Polyester with Aluminum back
Openness	2%
Width(s)	94.5" (2.4m)
Length	49 yd/roll (45m)
Weight	7.37 oz/yd2 (250g/m2)
Thickness	0.020 in (.50mm)
Fire Classification	NFPA 701, DIN410 B1, AS 1530_2, BS5867 Part 2, CA Title 19
Railroadable	No
Cleaning	Lightly vacuum to remove surface dust.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	 <b>FR</b>  <b>PVC FREE</b>  <b>LEAD FREE</b>  <b>FORMALDEHYDE FREE</b>  <b>PHTHALATE FREE</b>  <b>FRAGRANCE FREE</b>  <b>10 YEAR WARRANTY</b>
Certifications	 <b>CERTIFIED</b>  <b>GREENGUARD</b>  <b>HPD</b>  <b>LBC Compliant</b>  <b>OEKO-TEX® STANDARD 100</b>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
0110022400000	Light Gray	94.5			
0110022400765	Tan	94.5			
0110022400711	Beige	94.5			
0110022400936	Steel Gray	94.5			
0110022400998	Dark Gray	94.5			
0110022400829	Black	94.5			

# Ambient Renew 1%



ROLLER



PANEL



ROMAN



SCREEN

Ambient Renew is an eco-friendly PVC Free solar screen fabric made of 85% recycled Repreve® polyester and available in 1% and 5% openness factors. It is designed to behave similarly to a traditional solar screen but without the PVC.


Select Ambient Renew for your commercial or residential space when you're looking to minimize your impact on the environment while maximizing solar control and durability. It's compliance to the Living Building Challenge Red List makes this fabric the optimal choice for more demanding projects.




White/White




White/Beige




White/Smoke




White/Gray




Gray/Gray




Smoke/Smoke




Black/Blue



Black/Smoke



Black/Gray



Black/Coffee















Black/Black



*For the good of tomorrow*

## Technical Information

Composition	100% Polyester (85% Recycled REPVEVE® Polyester)
Openness	1%
Width(s)	118" (3m)
Length	33 yd/roll (30m)
Weight	11.80 oz/yd <sup>2</sup> (400 g/m <sup>2</sup> )
Thickness	0.02 in (.54mm)
Fire Classification	NFPA 701, CA Title 19
Railroadable	Yes
Cleaning	Wipe clean with warm soapy water and damp cloth.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	 <b>FR</b>  <b>RECYCLED CONTENT</b>  <b>RECYCLABLE</b>  <b>ECO FRIENDLY</b>  <b>ENERGY SAVING</b>  <b>LEAD FREE</b>  <b>5 YEAR WARRANTY</b>  <b>PRINTABLE</b>
Certifications	 <b>HPD HEALTH PRODUCT DECLARATION</b>  <b>LOW VOC</b>  <b>OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100</b> <small>Tested for harmful substances. www.oeko-tex.com/standard100</small>  <b>Declare.</b>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
021013000R001	R001 White/White	118			
021013000R002	R002 White/Beige	118			
021013000R003	R003 White/Smoke	118			
021013000R004	R004 White/Gray	118			
021013000R303	R303 Smoke/Smoke	118			
021013000R404	R404 Gray/Gray	118			
021013000R503	R503 Black/Smoke	118			
021013000R504	R504 Black/Gray	118			
021013000R505	R505 Black/Black	118			
021013000R506	R506 Black/Coffee	118			

# Ambient Renew 5%



ROLLER



PANEL



ROMAN



SCREEN

Ambient Renew is an eco-friendly PVC Free solar screen fabric made of 85% recycled Repreve® polyester and available in 1% and 5% openness factors. It is designed to behave similarly to a traditional solar screen but without the PVC.


Select Ambient Renew for your commercial or residential space when you're looking to minimize your impact on the environment while maximizing solar control and durability. It's compliance to the Living Building Challenge Red List makes this fabric the optimal choice for more demanding projects.




White/White




White/Beige




White/Smoke




White/Gray




Gray/Gray



Smoke/Smoke



Black/Blue



Black/Smoke



Black/Gray



Black/Coffee















Black/Black



*For the good of tomorrow*



## Technical Information

Composition	100% Polyester (85% Recycled REPREVE® Polyester)
Openness	5%
Width(s)	118" (3m)
Length	33 yd/roll (30m)
Weight	9.0 oz/yd2 (305 g/m2)
Thickness	.01 in (.48mm)
Fire Classification	NFPA 701, CA Title 19
Railroadable	Yes
Cleaning	Wipe clean with warm soapy water and damp cloth.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	 <b>FR</b>  <b>RECYCLED CONTENT</b>  <b>RECYCLABLE</b>  <b>ECO FRIENDLY</b>  <b>ENERGY SAVING</b>  <b>LEAD FREE</b>  <b>5 YEAR WARRANTY</b>  <b>PRINTABLE</b>
Certifications	 <b>HPD</b> HEALTH PRODUCT DECLARATION  <b>LOW VOC</b>  <b>OEKO-TEX®</b> CONFIDENCE IN TEXTILES <b>STANDARD 100</b> <small>Tested for harmful substances. www.oeko-tex.com/standard100</small>  <b>Declare.</b>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
021053000R001	R001 White/White	118			
021053000R002	R002 White/Beige	118			
021053000R003	R003 White/Smoke	118			
021053000R004	R004 White/Gray	118			
021053000R303	R303 Smoke/Smoke	118			
021053000R404	R404 Gray/Gray	118			
021053000R503	R503 Black/Smoke	118			
021053000R504	R504 Black/Gray	118			
021053000R505	R505 Black/Black	118			
021053000R506	R506 Black/Coffee	118			
021053000R507	R507 Black/Blue	118			



# Check out the Texstyle Visualizer

Simulate how different fabrics will look in the real world, ensuring you make the optimal selection for your next shading project.

Explore | [Texstyle.com](https://www.texstyle.com)



# Mesa Light Filtering



ROLLER



PANEL



ROMAN

The cosmopolitan fabric, Mesa Light Filtering, is ideal for commercial and residential applications to allow light in while maintaining privacy. Made from 100% polyester, Mesa Light Filtering is PVC-free, and offers a high-quality, soft appearance that will add beauty to any room.


Mesa Light Filtering is available in five soft, neutral colors and matches perfectly with Mesa Blackout. Ideal for digital printing, Dove White is available with a pre-established HP Digital Latex print profiles for seamless setup.




Dove White




Ice Gray



Quill














Nougat



Moonstone



## Technical Information

Composition	100% Polyester
Openness	Light Filtering
Width(s)	118" (3m)
Length	27 yd/roll (25m)
Weight	6.93 oz/yd <sup>2</sup> (235g/m <sup>2</sup> )
Thickness	0.019 in (.48mm)
Fire Classification	NFPA 701, CA Title 19
Railroadable	No
Cleaning	Wipe clean with warm soapy water and damp cloth.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	 <b>FR</b>  <b>PVC FREE</b>  <b>FRAGRANCE FREE</b>  <b>ENERGY SAVING</b>  <b>10 YEAR WARRANTY</b>  <b>PRINTABLE</b>
Certifications	 <b>GREENGUARD</b>  <b>LOW VOC</b>  <b>HPD</b>  <b>OEKO-TEX®</b> <b>CONFIDENCE IN TEXTILES</b> <b>STANDARD 100</b> <small>www.oeko-tex.com/standard100</small>  <b>ISO</b> <b>9001</b>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
061013000DOV	Dove White	118			
061013000ICE	Ice Gray	118			
061013000MOO	Moonstone	118			
061013000NOU	Nougat	118			
061013000QUI	Quill	118			



# Mesa Blackout



ROLLER




PANEL



ROMAN


The cosmopolitan fabric, Mesa blackout, is ideal for commercial and residential applications that require total light blockage and privacy. Made from 100% polyester with an acrylic coating, Mesa is PVC-free, offering a high-quality, soft appearance that will add beauty to a room while providing privacy. Match Mesa blackout to Mesa light filtering or the 3000 NET solar screen series. Dove White is ideal for digital printing, with pre-established HP Digital Latex print profiles for a seamless setup.




Dove White




Ice Gray




Quill



Seal



Dune



Nougat




Pearl




White



Moonstone



Mist



Slate















Storm



Black

## Technical Information

Composition	100% Polyester with Acrylic Foam Coating
Openness	Blackout
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	9.4 oz/yd2 (320g/m2)
Thickness	0.022 in (.55mm)
Fire Classification	NFPA 701, CA Title 19
Railroadable	No
Cleaning	Wipe clean with warm soapy water and damp cloth.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	      <b>FR    PVC FREE    FRAGRANCE FREE    ENERGY SAVING    10 YEAR WARRANTY    PRINTABLE</b>
Certifications	      <b>GREENGUARD GOLD    LOW VOC    HPD HEALTH PRODUCT DECLARATION    OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100    ISO 9001    AERC ENERGY IMPROVEMENT</b>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
061003000DOV	Dove White	118			
061003000WHI	White	118			
061003000PEA	Pearl	118			
061003000SEA	Seal	118			
061003000SLA	Slate	118			
061003000BLA	Black	118			
061003000DUN	Dune	118			
061003000ICE	Ice Gray	118			
061003000MIS	Mist	118			
061003000MOO	Moonstone	118			
061003000NOU	Nougat	118			
061003000QUI	Quill	118			
061003000STO	Storm	118			

# Mesa Façade Blackout

New  
Colors!



ROLLER



PANEL



ROMAN


Using the same Mesa Blackout quality you know and love, Mesa Façade Blackout offers four colors with a charcoal back. The facade blending back color helps your shades disappear from street view and is ideal for open roll systems that use a dark front blackout color. Tuxedo Façade is also available with pre-established HP Digital Latex print profile for seamless setup.




Tuxedo Façade



Slate Façade
















Storm Façade



Black Façade

## Technical Information

Composition	100% Polyester with Acrylic Foam Coating
Openness	Blackout
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	9.4 oz/yd2 (320g/m2)
Thickness	0.022 in (.55mm)
Fire Classification	NFPA 701, CA Title 19
Railroadable	No
Cleaning	Wipe clean with warm soapy water and damp cloth.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	 <b>FR</b>  <b>PVC FREE</b>  <b>FRAGRANCE FREE</b>  <b>ENERGY SAVING</b>  <b>10 YEAR WARRANTY</b>  <b>PRINTABLE</b>  <b>FAÇADE BLENDING</b>
Certifications	 <b>GREENGUARD</b>  <b>LOW VOC</b>  <b>HPD</b>  <b>OEKO-TEX®</b> <b>STANDARD 100</b> <small>Trüby für Heimtextilien</small> <small>www.oeko-tex.com/standard100</small>  <b>ISO</b> <b>9001</b>  <b>ENERGY IMPROVEMENT</b> <b>AERC</b>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
061003000TUX	Tuxedo Façade	118			
061003000SLAF	Slate Façade	118			
061003000STOF	Storm Façade	118			
061003000BLAF	Black Façade	118			



# Tempe




ROLLER




PANEL

Tempe blackout fabric is made from 100% polyester with an acrylic coating. Perfectly block light and enhance privacy with this off-white backed PVC-free, economical and environmentally friendly fabric.




Polar




Linen




Almond



Cloud



Desert













Espresso



Ebony

## Technical Information

Composition	100% Polyester with Acrylic Coating
Openness	Blackout
Width(s)	98.4" (2.5m), 118" (3m)
Length	33 yd/roll (30m)
Weight	11.8 oz/yd <sup>2</sup> (400 g/m <sup>2</sup> )
Thickness	0.012 in (.40mm)
Fire Classification	NFPA 701, CA Title 19
Railroadable	No
Cleaning	Wipe clean with warm soapy water and damp cloth.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	       <b>FR    PVC FREE    LEAD FREE    PHTHALATE FREE    FRAGRANCE FREE    10 YEAR WARRANTY    PRINTABLE</b>
Certifications	   <b>GREENGUARD GOLD    LOW VOC    HEALTH PRODUCT DECLARATION</b>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
062002500ALM	Almond	98.4			
062002500CLO	Cloud	98.4			
062002500DES	Desert	98.4			
062002500EBO	Ebony	98.4			
062002500ESP	Espresso	98.4			
062002500LIN	Linen	98.4			
062002500POL	Polar	98.4			
062003000ALM	Almond	118			
062003000CLO	Cloud	118			
062003000DES	Desert	118			
062003000EBO	Ebony	118			
062003000ESP	Espresso	118			
062003000LIN	Linen	118			
062003000POL	Polar	118			

# Sanctuary Light Filtering



ROLLER



PANEL




ROMAN


Inspired by the organic textures of nature, the Sanctuary collection is a defining aesthetic, available in 11 exceptional matching light filtering and blackout colors. Its unique three-dimensional pattern is available in a 118" width and will provide the competitive edge you have been looking for. Suitably designed for roller, roman and panel blinds, Sanctuary will transform and bring your interior space to life.



Plaster



Marble



Limestone



Ceramic



Truffle



Fossil



Suede




Mineral



Slate









Baltic



Lava

## Technical Information

Composition	100% Polyester
Openness	Light Filtering   Approximately 3%
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	6.05 oz/yd2 (205 g/m2)
Thickness	0.018 in (0.05 mm)
Railroadable	No
Cleaning	Surface dust can be removed with vacuum or a soft cloth.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	 PVC FREE  5 YEAR WARRANTY  PRINTABLE
Certifications	  

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
058013000PLA	Plaster	118			
058013000MAR	Marble	118			
058013000LIM	Limestone	118			
058013000CER	Ceramic	118			
058013000TRU	Truffle	118			
058013000FOS	Fossil	118			
058013000SUE	Suede	118			
058013000MIN	Mineral	118			
058013000SLA	Slate	118			
058013000BAL	Baltic	118			
058013000LAV	Lava	118			



# Sanctuary Blackout



ROLLER



PANEL




ROMAN


Inspired by the organic textures of nature, the Sanctuary collection is a defining aesthetic, available in 11 exceptional matching light filtering and blackout colors. Its unique three-dimensional pattern is available in a 118" width and will provide the competitive edge you have been looking for. Suitably designed for roller, roman and panel blinds, Sanctuary will transform and bring your interior space to life.



Plaster



Marble



Limestone



Ceramic



Truffle



Fossil



Suede



Mineral



Slate









Baltic



Lava

## Technical Information

Composition	100% Polyester with Acrylic Foam Coating
Openness	Blackout
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	12.68 oz/yd <sup>2</sup> (430 g/m <sup>2</sup> )
Thickness	0.024 in (0.60 mm)
Railroadable	No
Cleaning	Surface dust can be removed with vacuum or a soft cloth.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	   PVC FREE      5 YEAR WARRANTY      PRINTABLE
Certifications	   GREENGUARD      OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100      ISO 9001

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
058003000PLA	Plaster	118			
058003000MAR	Marble	118			
058003000LIM	Limestone	118			
058003000CER	Ceramic	118			
058003000TRU	Truffle	118			
058003000FOS	Fossil	118			
058003000SUE	Suede	118			
058003000MIN	Mineral	118			
058003000SLA	Slate	118			
058003000BAL	Baltic	118			
058003000LAV	Lava	118			

# Verona



ROLLER



PANEL

Verona is a high quality, versatile, light filtering solid and is available in a wide variety of contemporary colors, making it an excellent choice for any room.



White




Vanilla



Natural




Sand



Shadow




Light Gray




Light Blue



Stone




Blue Gray




Lake Blue



Navy Blue







Noir



Teal

## Technical Information

Composition	100% Polyester
Openness	Light Filtering   Approximately 1%
Width(s)	92.5" (2.35m)   Select colors also available in 78.7"
Length	44 yd/roll (40m)
Weight	5.31 oz/yd2 (180 g/m2)
Thickness	0.016 in (.40mm)
Railroadable	Yes
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	   <b>PVC FREE</b> <b>5 YEAR WARRANTY</b> <b>PRINTABLE</b>
Certifications	 <small>OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 Trusted for harmful substances <a href="http://www.oeko-tex.com/standard100">www.oeko-tex.com/standard100</a></small>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per lin. yd	Price per sq. yd.	Price per av. roll
07330654105091	Vanilla	78.7			
07330654105107	White	78.7			
07330654108733	Natural	78.7			
07330654246497	Lt Gray	78.7			
07330654246503	Stone	78.7			
07330654312857	Slate	78.7			
07330654435129*	Teal	78.7			
07330654596820	Navy Blue	92.5			
07330654596837	Light Blue	92.5			
07330654596851	Blue Gray	92.5			
07330654611011	Lake Blue	92.5			
07330654596769	Light Gray	92.5			
07330654596776	Stone	92.5			
07330654596783	Shadow	92.5			
07330654596790	Sand	92.5			
07330654595533	Vanilla	92.5			
07330654596691	White	92.5			
07330654596714	Noir	92.5			
07330654596844	Teal	92.5			

\*Available while supplies last

# Milano




ROLLER




PANEL

Milano is a cost-effective light-filtering solution which is available in a wide variety of colors. It's closed weave allows you to maintain privacy in your space while still allowing soothing natural light to come in. It's matching blackout, Torino, allows you to mix and match opacities within your space. Versatile and attractively priced, Milano is perfect for any room.



Rice White




Pearl



Oatmeal




Dark Cream




Harvest



Pale Gray




Light Gray



Gray



Dark Chocolate






Dark Blue



Charcoal



## Technical Information

Composition	100% Polyester
Openness	Light Filtering   Approximately 0%
Width(s)	78.7" (2m) & 92.5" (2.35m)
Length	44 yd/roll (40m)
Weight	5.01 oz/yd <sup>2</sup> (170 g/m <sup>2</sup> )
Thickness	0.016 in (.40mm)
Railroadable	Yes
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	  PVC FREE      5 YEAR WARRANTY
Certifications	 OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 <small>Trusted for harmful substances. www.oeko-tex.com/standard100</small>

## Product codes and pricing


Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654373698	Rice White	78.7			
07330654373865	Pearl	78.7			
07330654375821	Pale Gray	78.7			
07330654551690	Light Gray	78.7			
07330654373872	Gray	78.7			
07330654373957	Dark Chocolate	78.7			
07330654373759	Dark Blue	78.7			
07330654373704	Charcoal	78.7			
07330654373681	Oatmeal	78.7			
07330654373889	Dark Cream	78.7			
07330654375838	Harvest	78.7			
07330654453406	Rice White	92.5			

# Torino




ROLLER

Torino is a cost-effective blackout fabric which is available in a wide variety of colors. It's matching Light Filtering counterpart, Milano, allows you to mix and match opacities within your space. Versatile and attractively priced, Torino is perfect for any room.



Rice White




Pearl




Oatmeal




Pale Gray




Harvest



Light Gray




Gray



Dark Chocolate






Dark Blue



Black

## Technical Information

Composition	100% Polyester
Openness	Blackout
Width(s)	78.7" (2m) & 92.5" (2.35m)
Length	27 yd/roll (25m)
Weight	8.55/10.32 oz/yd <sup>2</sup> (290/350 g/m <sup>2</sup> )
Thickness	0.020 in (.50mm)
Railroadable	No
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	  <b>PVC FREE</b> <b>5 YEAR WARRANTY</b>
Certifications	 <b>OEKO-TEX®</b> <b>CONFIDENCE IN TEXTILES</b> <b>STANDARD 100</b> <small>Tested for harmful substances.</small> <small>www.oeko-tex.com/standard100</small>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654373988	Rice White	78.7			
07330654373995	Black	78.7			
07330654375845	Pale Gray	78.7			
07330654374145	Gray	78.7			
07330654373971	Oatmeal	78.7			
07330654374138	Pearl	78.7			
07330654375852	Harvest	78.7			
07330654374190 *	Dark Chocolate	78.7			
07330654612124	Dark Chocolate	92.5			
07330654612063	Light Gray	92.5			
07330654426318	Rice White	92.5			
07330654564706	Black	92.5			
07330654564683	Pale Gray	92.5			
07330654564690	Gray	92.5			
07330654564669	Oatmeal	92.5			
07330654564652	Pearl	92.5			
<b>07330654596875</b>	<b>Dark Blue</b>	<b>92.5</b>			
07330654564676	Harvest	92.5			

\*Available while supplies last

# Panama




ROLLER






PANEL

Although not a blackout fabric, Panama is a privacy-oriented solution; letting some light through while blocking exterior view through. Panama is a versatile textured solid that adds visual interest to the shade.



White

## Technical Information

Composition	100% Polyester
Openness	Light Filtering   Approximately 0%
Width(s)	92.5" (2.35m)
Length	44 yd/roll (40m)
Weight	8.26 oz/yd2 (280 g/m2)
Thickness	0.016 in (.40mm)
Railroadable	Yes
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	  PVC FREE      5 YEAR WARRANTY
Certifications	 OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 <small>Method for harmful substances: www.oeko-tex.com/standard100</small>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654608776	White	92.5			



# Tusk Light Filtering



ROLLER



PANEL

From textured earth tones to the rich, warm colors of weathered sandstone cliffs, Tusk provides comfort and harmony to every space. Tusk is available in both Light Filtering and Blackout with a color matched back, making it ideal for open roll shade systems.



Whisper




Coconut



Beach




Pepper



Mushroom



Henna






Hazelnut



Slate

## Technical Information

Composition	100% Polyester
Openness	Light Filtering   Approximately 1%
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	5 oz/yd <sup>2</sup> (170 g/m <sup>2</sup> )
Thickness	0.012 in (.30mm)
Railroadable	No
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit <a href="http://texstyle.com">texstyle.com</a> for full details
Features	  PVC FREE      5 YEAR WARRANTY
Certifications	 OEKO-TEX® COMPLIANCE IN TEXTILES STANDARD 100 <small>Tested for harmful substances.                  www.oeko-tex.com/standard100</small>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
059003000WHI	Whisper	118			
059003000COC	Coconut	118			
059003000BEA	Beach	118			
059003000PEP	Pepper	118			
059003000MUS	Mushroom	118			
059003000HEN	Henna	118			
059003000HAZ	Hazelnut	118			
059003000SLA	Slate	118			

\*Available while supplies last

# Tusk Blackout



ROLLER



PANEL


From textured earth tones to the rich, warm colors of weathered sandstone cliffs, Tusk provides comfort and harmony to every space. Tusk is available in both Light Filtering and Blackout with a color matched back, making it ideal for open roll shade systems.



Whisper



Coconut



Beach



Pepper



Mushroom



Henna






Hazelnut



Slate

## Technical Information

Composition	100% Polyester
Openness	Blackout
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	10.62 oz/yd <sup>2</sup> (360 g/m <sup>2</sup> )
Thickness	0.017 in (.43mm)
Railroadable	No
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit <a href="http://texstyle.com">texstyle.com</a> for full details
Features	  <b>PVC FREE</b> <b>5 YEAR WARRANTY</b>
Certifications	 <b>OEKO-TEX®</b> <small>CONFIDENCE IN TEXTILES</small> <b>STANDARD 100</b> <small>tested for harmful substances</small> <small>www.oeko-tex.com/standard100</small>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
0591003000WHI	Whisper	118			
0591003000COC	Coconut	118			
0591003000BEA	Beach	118			
0591003000PEP	Pepper	118			
0591003000MUS	Mushroom	118			
0591003000HEN	Henna	118			
0591003000HAZ	Hazelnut	118			
0591003000SLA	Slate	118			

\*Available while supplies last

# Chambray




ROLLER



PANEL

A simple geometric print, Chambray introduces pattern in a calming manner.



White/White

# Stickan



ROLLER




PANEL

Stickan introduces a varied vertical stripe, lengthening the window and adding visual appeal. It's ability to be railroaded also allows for the stripe to run horizontally on the window if desired.






White/White



Gray/White



## Technical Information

	Chambray	Stickan
Composition	100% Polyester	100% Polyester
Openness	Light Filtering   Approximately 1%	Light Filtering   Approximately 1%
Width(s)	78.7" (2m)	78.7" (2m)
Length	44 yd/roll (40m)	44 yd/roll (40m)
Weight	5.31 oz/yd <sup>2</sup> (180 g/m <sup>2</sup> )	5.31 oz/yd <sup>2</sup> (180 g/m <sup>2</sup> )
Thickness	0.016 in (.40mm)	0.016 in (.40mm)
Railroadable	Yes	Yes
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.	
Technical & Quality Data	Visit <a href="http://texstyle.com">texstyle.com</a> for full details	
Features	  <b>PVC FREE</b> <b>5 YEAR WARRANTY</b>	
Certifications	 <b>OEKO-TEX®</b> <small>CONFIDENCE IN TEXTILES</small> <b>STANDARD 100</b> <small>Based on harmful substances</small> <small>www.oeko-tex.com/standard100</small>	

## Product codes and pricing

### Chambray

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654440260	White/White	78.7			

### Stickan

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654433934*	Gray White	78.7			
07330654163114	White White	78.7			

\* Available while supplies last

# Chenille



ROLLER






PANEL

Created using a puff paint, the striped pattern on Chenille adds dimensional interest to the window shade.



White

## Technical Information

Chenille	
Composition	100% Polyester
Openness	Light Filtering   Approximately 1%
Width(s)	78.7" (2m)
Length	44 yd/roll (40m)
Weight	4.42 oz/yd <sup>2</sup> (150 g/m <sup>2</sup> )
Thickness	0.026 in (.65mm)
Railroadable	Yes, pattern direction will change
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit <a href="http://texstyle.com">texstyle.com</a> for full details
Features	  <b>PVC FREE</b> <b>5 YEAR WARRANTY</b>
Certifications	 <b>OEKO-TEX®</b> <small>CONFIDENCE IN TEXTILES</small> <b>STANDARD 100</b> <small>Free of harmful substances.</small> <small><a href="http://www.oeko-tex.com/standard100">www.oeko-tex.com/standard100</a></small>

## Product codes and pricing

Chenille					
Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654267409	White	78.7			

# Mandal



ROLLER




PANEL

Made of recycled polyester, Mandal is eye catching and environmentally friendly. The tonal texture adds a natural design aesthetic to the window and the fabric can be railroaded allowing the texture to run either vertically or horizontally on the window.



Vanilla







Pebble



Dark Blue

## Technical Information

Composition	100% Recycled Polyester
Openness	Light Filtering   Approximately 3%
Width(s)	78.7" (2m)
Length	44 yd/roll (40m)
Weight	3.83 oz/yd <sup>2</sup> (130 g/m <sup>2</sup> )
Thickness	0.012 in (.30mm)
Railroadable	Yes
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p><b>PVC FREE</b></p> </div> <div style="text-align: center;">  <p><b>5 YEAR WARRANTY</b></p> </div> <div style="text-align: center;">  <p><b>RECYCLED CONTENT</b></p> </div> </div>
Certifications	 <p><b>OEKO-TEX®</b> CONFIDENCE IN TEXTILES <b>STANDARD 100</b> <small>Approved for household &amp; industrial use</small> <small>www.oeko-tex.com/standard100</small></p>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654613206	Dark Blue	78.7			
07330654437017	Vanilla	78.7			
07330654437055	Pebble	78.7			

\*Available while supplies last



# Karuna



ROLLER



PANEL

Made of recycled polyester, Karuna's open weave adds sophistication and a natural appearance to any room.



Snow



Beige




Light Gray



Tan







Dark Gray



Black

## Technical Information

Composition	100% Recycled Polyester
Openness	Transparent   Approximately 16%
Width(s)	78.7" (2m)
Length	44 yd/roll (40m)
Weight	5.60 oz/yd <sup>2</sup> (190 g/m <sup>2</sup> )
Thickness	0.022 in (.55mm)
Railroadable	Yes
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p><b>PVC FREE</b></p> </div> <div style="text-align: center;">  <p><b>5 YEAR WARRANTY</b></p> </div> <div style="text-align: center;">  <p><b>RECYCLED CONTENT</b></p> </div> </div>
Certifications	 <p><b>OEKO-TEX®</b> CONFIDENCE IN TEXTILES <b>STANDARD 100</b> <small>Approved for household use</small> <small>www.oeko-tex.com/standard100</small></p>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654612353	Light Gray	78.7			
07330654612360	Dark Gray	78.7			
07330654612407	Tan	78.7			
07330654424659	Beige	78.7			
07330654424628	Snow	78.7			
07330654424604	Black	78.7			

\*Available while supplies last

# Balmoral Light Filtering



ROLLER



PANEL



ROMAN

The Balmoral collection offers the complete styling solution with pure elegance and a premium design aesthetic. Available in 13 exceptionally matched colors, privacy is achieved in all light conditions.




White



Pearl



Birch



Putty



Concrete




Dove



Pyrite



Bourneville



Steel




Jet



Armour









Platinum



Chrome

## Technical Information

Composition	100% Polyester
Openness	Light Filtering   Approximately 6%
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	6.49 oz/yd <sup>2</sup> (220 g/m <sup>2</sup> )
Thickness	0.022 in (.55mm)
Railroadable	No
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	 PVC FREE  5 YEAR WARRANTY  PRINTABLE
Certifications	 GREENGUARD GOLD  OEKO-TEX® CONFIDENCE IN TEXTILES STANDARD 100 Tested for harmful substances. www.oeko-tex.com/standard100  ISO 9001

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
064003000BIR	Birch	118			
064003000BOU	Bourneville	118			
064003000CON	Concrete	118			
064003000DOV	Dove	118			
064003000JET	Jet	118			
064003000PEA	Pearl	118			
064003000PUT	Putty	118			
064003000PYR	Pyrite	118			
064003000STE	Steel	118			
064003000WHI	White	118			
064003000ARM	Armour	118			
064003000CHR	Chrome	118			
064003000PLA	Platinum	118			

# Balmoral Blackout



ROLLER



PANEL



ROMAN

The Balmoral collection offers the complete styling solution with pure elegance and a premium design aesthetic. Available in 13 exceptionally matched colors, privacy is achieved in all light conditions.



White



Pearl



Birch



Putty



Concrete



Dove



Pyrite



Bourneville



Steel




Jet



Armour









Platinum



Chrome



## Technical Information

Composition	100% Polyester with Acrylic Foam Coating
Openness	Blackout
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	11.50 oz/yd <sup>2</sup> (390 g/m <sup>2</sup> )
Thickness	0.023 in (.60mm)
Railroadable	No
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	   <b>PVC FREE</b> <b>5 YEAR WARRANTY</b> <b>PRINTABLE</b>
Certifications	  

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
065003000BIR	Birch	118			
065003000BOU	Bourneville	118			
065003000CON	Concrete	118			
065003000DOV	Dove	118			
065003000JET	Jet	118			
065003000PEA	Pearl	118			
065003000PUT	Putty	118			
065003000PYR	Pyrite	118			
065003000STE	Steel	118			
065003000WHI	White	118			
065003000ARM	Armour	118			
065003000CHR	Chrome	118			
065003000PLA	Platinum	118			

# Jersey Light Filtering



ROLLER



PANEL




ROMAN

Delicate yarns intricately woven give rise to Jersey, a fabric collection inspired by more traditional textile design methods. Simple yet sophisticated, the Jersey color palette complements a broad spectrum of decors and interior spaces.




Opal



Organic



Stone




Render



Timber








Pavement



Steel

## Technical Information

Composition	100% Polyester
Openness	Light Filtering   Approximately 10%
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	7.67 oz/yd <sup>2</sup> (260g/m <sup>2</sup> )
Thickness	0.025 in (0.63mm)
Railroadable	No
Cleaning	Surface dust can be removed with vacuum or a soft cloth
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p><b>PVC FREE</b></p> </div> <div style="text-align: center;">  <p><b>5 YEAR WARRANTY</b></p> </div> <div style="text-align: center;">  <p><b>PRINTABLE</b></p> </div> </div>
Certifications	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p><b>GREENGUARD GOLD</b></p> </div> <div style="text-align: center;"> <p><b>OEKO-TEX®</b>  <small>CONFIDENCE IN TEXTILES</small>  <b>STANDARD 100</b>  <small>Tested for harmful substances.  <a href="http://www.oeko-tex.com/standard100">www.oeko-tex.com/standard100</a></small></p> </div> <div style="text-align: center;">  <p><b>ISO 9001</b></p> </div> </div>

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
054003000OPA	Opal	118			
054003000ORG	Organic	118			
054003000PAV	Pavement	118			
054003000REN	Render	118			
054003000STE	Steel	118			
054003000STO	Stone	118			
054003000TIM	Timber	118			

# Jersey Blackout



ROLLER




PANEL



ROMAN

Delicate yarns intricately woven give rise to Jersey, a fabric collection inspired by more traditional textile design methods. Simple yet sophisticated, the Jersey color palette complements a broad spectrum of decors and interior spaces.




Organic




Opal



Stone




Render



Timber









Pavement



Steel

## Technical Information

Composition	100% Polyester
Openness	Blackout
Width(s)	118" (3m)
Length	22 yd/roll (20m)
Weight	13.27 oz/yd <sup>2</sup> (450g/m <sup>2</sup> )
Thickness	0.028 in (0.72mm)
Railroadable	No
Cleaning	Surface dust can be removed with vacuum or a soft cloth
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	   <b>PVC FREE</b> <b>5 YEAR WARRANTY</b> <b>PRINTABLE</b>
Certifications	  

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
053003000OPA	Opal	118			
053003000ORG	Organic	118			
053003000PAV	Pavement	118			
053003000REN	Render	118			
053003000STE	Steel	118			
053003000STO	Stone	118			
053003000TIM	Timber	118			



# Trento



ROLLER





PANEL

A simple pattern with broad appeal, Trento introduces a truly natural aesthetic to your space by using 100% natural fibers and slub yarns.



White

## Technical Information

Trento	
Composition	100% Cotton
Openness	Light Filtering   Approximately 0%
Width(s)	78.7" (2m)
Length	33 yd/roll (30m)
Weight	9.14 oz/yd <sup>2</sup> (310 g/m <sup>2</sup> )
Thickness	0.024 in (.60mm)
Railroadable	Yes
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit <a href="http://textstyle.com">textstyle.com</a> for full details
Features	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>PVC FREE</p> </div> <div style="text-align: center;">  <p>5 YEAR WARRANTY</p> </div> </div>

## Product codes and pricing

Trento					
Code	Color	Fabric Width (in)	Price per lin. yd	Price per sq. yd.	Price per av. roll
07330654108115	White	78.7			

# Romana



ROLLER





PANEL

A unique and eye-catching weave makes Romana the perfect addition to your window shade.



White

## Technical Information

Romana	
Composition	80% Cotton, 20% Flax
Openness	Light Filtering   Approximately 2%
Width(s)	78.7" (2m)
Length	33 yd/roll (30m)
Weight	7.96 oz/yd2 (270 g/m2)
Thickness	0.012 in (.50mm)
Railroadable	Yes, pattern direction will change.
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit <a href="http://texstyle.com">texstyle.com</a> for full details
Features	<div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p>PVC FREE</p> </div> <div style="text-align: center;">  <p>5 YEAR WARRANTY</p> </div> </div>

## Product codes and pricing

### Romana

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654143321	White	78.7			





# Globally Sourced

Sourcing from some of the best mills in the world, Texstyle is devoted to offering only the highest quality fabrics.



# Avesta



ROLLER



PANEL

Avesta light filtering boasts an intricate weave with a neutral color palette incorporating the colors of nature.



Natural



Beige

# Avesta Blackout




ROLLER



PANEL



Avesta blackout boasts an intricate weave with a neutral color palette incorporating the colors of nature.



Natural



## Technical Information

	Avesta	Avesta Blackout
Composition	40% Viscose, 23% Polyester, 20% Cotton, 17% Flax	40% Viscose, 23% Polyester, 20% Cotton, 17% Flax with Acrylic Coating
Openness	Light Filtering   Approximately 1%	Blackout
Width(s)	80.7" (2.05m)	80.7" (2.05m)
Length	27 yd/roll (25m)	22 yd/roll (20m)
Weight	10.91 oz/yd2 (370 g/m2)	14.75 oz/yd2 (500 g/m2)
Thickness	0.029 in (.75mm)	0.035 in (.90mm)
Railroadable	Yes, pattern direction will change.	Yes, pattern direction will change.
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.	
Technical & Quality Data	Visit <a href="http://texstyle.com">texstyle.com</a> for full details	
Features	  PVC FREE      5 YEAR WARRANTY	

## Product codes and pricing

### Avesta

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654307402	Natural	80.7			
07330654371786*	Beige	80.7			

\*Available while supplies last

### Avesta Blackout

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
07330654329930	Natural	80.7			

# Vista Blackout



ROLLER




PANEL




ROMAN

Vista is a sophisticated blackout coated jacquard fabric. With a complex weave construction, Vista offers a real three-dimensional appearance, with a color palette designed to compliment any interior.



Surf



Sand




Pumice



Dune









Paperbark



Driftwood

## Technical Information

Composition	100% Polyester
Openness	Blackout
Width(s)	110" (2.8m)
Length	28 yd/roll (25m)
Weight	11.15 oz/yd2 (378 g/m2)
Thickness	0.021 in (.53mm)
Railroadable	No
Cleaning	Vacuum cleaning and/or gentle wiping with a sponge and mild soap. Do not soak, do not use any other solvents, and do not rub.
Technical & Quality Data	Visit <a href="http://texstyle.com">texstyle.com</a> for full details
Features	   <b>PVC FREE</b> <b>5 YEAR WARRANTY</b> <b>PRINTABLE</b>
Certifications	  

## Product codes and pricing

Code	Color	Fabric Width (in)	Price per Lin. Yd.	Price Per Sq. yd.	Price per av. Roll
063002800DRI	Driftwood	110			
063002800DUN	Dune	110			
063002800PAB	Paperbark	110			
063002800PUM	Pumice	110			
063002800SAN	Sand	110			
063002800SUR	Surf	110			