













**24V DC Low Voltage Motorized Roller
Roman Quote/Order Form**



Date: _____
 Company: _____ P.O. #: _____ Ship to (If Different): _____
 _____ Sidemark: _____
 _____ Account No: _____

Line Item	QTY	Room Location	Board Width <small>(Write Measurement in Column)</small>		Height	Roll Direction <small>Regular (Off Back) or Reverse (Off Front)</small>	Control Side <small>Right (R) or Left (L)</small>	Motor Protocol <small>RTS or Zigbee (ZB)</small>	Safety Option	
			<small>23<60"W 23Lb Max</small>	<small>60≤96"W* (RTS ONLY) 35Lb Max</small>					Safety Shroud	Ring Lock
1										
2										
3										
4										
5										
6										
7										
8										
9										
10										

*60≤96" W Available for #1134023 504 ULTRA 24V DC RTS Motor ONLY. Not Available for Zigbee Communication. Minimum of a 4" Board Size Requirement. >96" call for quote.
 Porter Preston is not responsible for discrepancies in information provided on this form in relationship to the finalized fabricated product. This includes Total Weight.

Line Item (Match to pg. 1)	Column Spacing Your mounting board will be built according to the measurements you provide below: Your sketch does not have to be to scale, but the numbers must be accurate to the nearest 1/8". Draw vertical lines to show the columns of rings. Be sure to include every column, including those close to the edges of the board. The first two columns are sketched for you. Write the measurements to indicate the distance between each column of rings and the next. Measurements must be accurate to the nearest 1/8". We will not make any additional deductions. CHECK THAT MEASUREMENTS ADD UP TO THE EXACT SHADE WIDTH	Total # of Columns
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		



24V DC Specifications and Pricing

24V DC Roman Kit Standards

- EYRR60 Motorized 24V DC Roman Systems Made with a 2.5" Board Minimum and Utilize Cord Clips
- EYRR96 Motorized 24V DC Roman Systems Made with a 4" Board Minimum and Utilize Cord Clips
- Custom Board Widths Available for a \$40 MSRP Surcharge per Board. Contact Customer Service for Details

	Quantity	Board MSRP	Motor Description (Check Box for Selection)	Motor MSRP	Total
23<60" W 35Lb Max EYRR60		\$274ea	#1241142 Sonesse 30 24V DC RTS <input type="checkbox"/>	\$740ea	
			#1241970 Sonesse 30 24V DC ZIGBEE <input type="checkbox"/>	\$777ea	
60≤96" W 50Lb Max 4" Board Min. EYRR96		\$334ea	#1134023 Sonesse 504 ULTRA 24V DC RTS <input type="checkbox"/>	\$1028ea	
			<input type="checkbox"/>		
<p>For RTS or Zigbee Power Options and Controls, Refer to Price Grid 12, pages 9-11, in the Porter Preston MSRP >96" call for quote</p>					